

## 2021-2022 COVID-19 Contact Tracing in Schools

When a COVID-19 infection is identified among a student or staff member in a school, it is critical to conduct immediate contact tracing and identify all students and staff members who have been in close contact with this person. This should be done individually for each person identified with COVID-19 in the school, including laboratory confirmed and suspect cases (see step 1 below).

Contact tracing slows the spread of COVID-19 by identifying and notifying people that they may have been exposed, asking them to monitor their health, and asking them to self-quarantine. Timely and thorough contact tracing can effectively interrupt the chain of disease transmission and is an important public health intervention to prevent or contain an outbreak. By keeping those that may have been exposed to COVID-19 away from others, further transmission may be prevented.

This document outlines the actions that should be taken when a person with COVID-19 is identified in a school: 1. Steps to identify COVID-19 infections and report to LDH; 2. Steps to identify and notify close contacts; and 3. Steps to conduct cleaning and disinfection.

1.	Steps to identify COVID-19 infections and report to LDH				
		Identify a person with COVID-19 infection. A person with COVID-19 infection that would			
		requ	ire reporting to LDH and conducting contact tracing is defined as:		
			Laboratory-Confirmed Case: someone who receives a positive COVID-19 viral test result,		
		i	including molecular/PCR or antigen tests. Antibody tests indicate past exposure and should		
		1	not be used to diagnose current infection or to initiate contact tracing.		
		(	OR		
			Suspect Case: someone who is experiencing any COVID-like symptoms including:		
		[	Fever or chills, rigors, cough, shortness of breath or difficulty breathing, fatigue, muscle		
			or body aches, headache, new loss of taste or smell, sore throat, congestion or runny		
			nose, nausea or vomiting, or diarrhea.		
			AND		
		[	No alternative more likely diagnosis		
		[	If a suspect case subsequently tests negative by molecular/PCR test, they can return to		
			school when they are symptom-free for 24 hours and any close contacts that have been		
			quarantined may return to school.		
		Isola	ate and send the person home immediately. They should not return to school until the		
	_		wing "end of self-isolation criteria" are met:		
			For a person with ANY symptom(s):		
		[	At least 10 days have passed since symptoms first appeared <b>AND</b>		
		[	At least 24 hours have passed since the resolution of fever without the use of fever		
			reducing medications AND		
		[	Other symptoms (e.g., cough, shortness of breath) have improved.		
			For a person who remained asymptomatic (i.e., never had any symptoms):		
		[	At least 10 days have passed since positive test collection date.		



2.

	onl sch	port all confirmed and suspect cases to Louisiana Office of Public Health (OPH) using the line School COVID-19 Reporting Portal. If you have questions, contact coolcovidreporting@la.gov. Regional OPH Offices are available to provide consultation and commendations upon request.
Ste	ps t	o identify and notify close contacts of persons identified as having COVID-19 infection
	m	or <u>suspect cases only</u> , quarantining of close contacts may be delayed up to 48 hours after eeting clinical criteria to allow for the return of molecular/PCR test results or an alternative ore likely diagnosis to be made by a physician.
		If a molecular/PCR test result or alternative more likely diagnosis is not available within 48 hours of meeting being identified as a suspect case, close contacts should be quarantined as described below.
		If a molecular/PCR test results negative or an alternative more likely diagnosis is made by a physician, close contacts do not need to be quarantined. The symptomatic person should not return to school until they are symptom-free for 24 hours.
		termine who has been in close contact with suspect and confirmed COVID-19 cases in gool during their infectious period.
		Close contact is defined as
		<ul> <li>being within 6 feet of an infected person for a cumulative total of 15 minutes or more over a 24-hr period <b>OR</b></li> </ul>
		having direct contact with an infected person, including touching, hugging, kissing, or sharing eating or drinking utensils; or if an infected person sneezed, coughed, or somehow got respiratory droplets on another person
		Indoor Classroom Exception: If <u>BOTH</u> the case and the contact were engaged in consistent and <u>correct</u> use of a well-fitting <u>face mask</u> AND were ≥3 feet from each other then those close contacts do not need to quarantine. They should continue to mask while indoors until at least day 14 post-exposure.
		This exception only applies to student who are ≥3 feet from other students and should not be used for teachers, staff, or other adults in the indoor classroom setting.
		Close contacts should be encouraged to seek testing immediately, including those close contacts meeting the above exception, regardless of vaccination status. If negative, they should be tested again between 5-7 days post-exposure.
		The infectious period includes the 48 hours before the day the person became sick (or the 48 hours before specimen collection if asymptomatic) until the person was isolated.
		Use of face shields or plastic dividers are not considered in determining close contacts.
		Identify close contacts that may have occurred during any time or place the person was at school during the infectious period, including in the classrooms, during recess or lunch, and during extra-curricular activities.
	Qu	arantine for close contacts previously diagnosed with COVID-19 within the last 90 days:
		If they previously tested positive for COVID-19 by PCR or antigen test, they do not need

to quarantine unless symptoms develop.



	☐ If they do have symptoms, they should self-quarantine immediately and consult with a medical provider to determine if they may have been re-infected with COVID-19 or if
	symptoms are caused by something else.
Qu	arantine for fully vaccinated close contacts:
	<ul> <li>Close contacts who meet all of the following criteria do not need to quarantine but should still seek testing, wear a mask while indoors and watch for symptoms of COVID-19 for 14 days following an exposure.</li> <li>Are fully vaccinated (i.e., ≥2 weeks following receipt of the second dose in a 2-dose series, or ≥2 weeks following receipt of one dose of a single-dose vaccine) at the time of exposure, AND</li> <li>Have remained asymptomatic since the current COVID-19 exposure</li> </ul>
	·
	☐ If fully vaccinated close contacts have symptoms, they should self-quarantine immediately for 10 days after symptom onset and get tested.
No	tify close contacts of the need to quarantine.
	Notify all close contacts of suspect and confirmed cases that they have been identified as having been exposed to someone who is or may be ill with COVID-19 and will need to quarantine. A template letter can be provided to the school by the Office of Public Health.
	<ul> <li>End of Quarantine Criteria: Close contacts should quarantine for 14 days from the last day they were exposed to a suspect or confirmed case. Options to shorten the duration of quarantine if contacts remain asymptomatic include:</li> <li>If no symptoms develop during quarantine AND they have a negative antigen or</li> </ul>
	PCR/molecular test collected no earlier than day 5 after their last exposure: they may quarantine for 7 days from last contact with a COVID-19 case <b>OR</b>
	<ul> <li>If no symptoms develop during quarantine and no testing is done: they may quarantine for 10 days from last contact with a COVID-19 case.</li> </ul>
	At-home tests cannot be used to shorten quarantine.
	If quarantine is shortened, daily symptom monitoring and strict adherence to prevention measures including social distancing, hand washing, and wearing masks/face coverings, should continue until the full 14 days from last contact with a COVID-19 case.
	Because there is an increased risk of post-quarantine transmission associated with options to shorten quarantine, OPH recommends use of the 14-day quarantine period in daycare and other school settings where masking and physical distancing among children and staff is not maintained. In addition, due to the high rates of transmission that have been observed among K-12 sports teams, exposed
	individuals should not participate in athletic events where masking and distancing is not maintained until the full 14-day quarantine has been completed.
	Close contacts who develop symptoms on or before day 14 after their last exposure are considered suspect cases regardless of meeting criteria for a shortened quarantine and should self-isolate <u>immediately</u> and seek testing.
	Encourage the close contacts to call the Louisiana Department of Public Health Contact Tracers at 1-877-766-2130.
Ens	sure close contacts remain out of school until the end of their quarantine period.
	Close contacts should not return to school until they have met end of guarantine criteria



		If a close contact in quarantine becomes symptomatic and tests positive, they would be considered a case as of the day their symptoms began and would need to follow "end of self-isolation criteria" to return to school.
		☐ If a close contact in quarantine becomes symptomatic but is not tested, they would be considered a case as of the day their symptoms began and would need to follow "end of self-isolation criteria" to return to school or 14-day quarantine, whichever is longer.
		☐ If a close contact in quarantine tests positive but does not develop symptoms, they would be considered a case as of the day their test was collected and would need to follow "end of self-isolation criteria" to return to school.
		☐ If a close contact has a viral test collected earlier than day 5 of quarantine and the result is negative:
		<ul> <li>they should remain in quarantine for the duration of the 10-day quarantine as long as they remain asymptomatic OR</li> </ul>
		<ul> <li>receive an additional test collected on or after day 5 of quarantine. If the repeat test is negative and they remain asymptomatic, then they may end quarantine after day 7.</li> </ul>
		☐ If a suspect case tests negative by molecular/PCR test, any quarantined close contacts of that suspect case may return to school.
		OPH recommends schools consider notifying the entire school community that there was a person with COVID-19 infection identified and close contacts have been notified.
3.	Ste	eps to conduct cleaning and disinfection according to CDC guidance
		Close off areas used by the persons with COVID-19 and wait as long as practical before beginning cleaning and disinfection to minimize potential for exposure to respiratory droplets  Open outside doors and windows to increase air circulation in the area.  Wear a mask and gloves while cleaning and disinfecting.
		Clean and disinfect all areas (e.g., offices, bathrooms, and common areas) used by the person(s) with COVID-19, focusing especially on frequently touched surfaces
		<ul> <li>Surfaces should be cleaned using soap (or a detergent) and water prior to disinfection.</li> <li>For disinfection, most common EPA-registered household disinfectants should be effective against the virus that causes COVID-19. Check EPA's list of disinfection products.</li> </ul>
		See full CDC guidance: <u>Cleaning and Disinfecting Your Facility</u>

## Document Updates:

Date	Update
07/27/2021	Updated criteria for suspect case.
08/03/2021	Clarified masking requirement for fully vaccinated close contacts and masked close contact
	≥3 ft from a masked case exempt from quarantine; added at-home test exclusion for
	shortened quarantine